


ACHEM



包装胶带



水性OPP包装胶带

产品编号	产品描述	基材	厚度 (mm)	黏着力 (kg/cm)	断裂伸长率 (%)	抵抗力 (kg/cm)	应用
A2N03	<ul style="list-style-type: none"> • BOPP包装胶带，亚克力系粘胶，高粘度 	BOPP	0.038	0.14	<180	3.0	<ul style="list-style-type: none"> • 一般包装封箱及物品固定捆扎
A2903			0.042	0.20	<180	3.0	
A2K03			0.045	0.20	<180	3.0	
A2603			0.048	0.20	<180	2.5	
A2613			0.048	0.20	<180	3.0	
A2703			0.050	0.20	<180	2.5	
A2713			0.050	0.20	<180	3.0	
A2223			0.052	0.20	<180	3.0	
A2203			0.054	0.20	<180	3.5	
A2323			0.062	0.20	<180	3.5	
A2303			0.065	0.20	<180	3.5	
A2403			0.089	0.24	<180	6.0	
A2413	0.090	0.24	<180	6.0			

油性OPP包装胶带

产品编号	产品描述	基材	厚度 (mm)	黏着力 (kg/cm)	断裂伸长率 (%)	抵抗力 (kg/cm)	应用
S2G03	<ul style="list-style-type: none"> • 油性OPP超透明包装胶带，高强度，高粘度 	BOPP	0.065	0.28	<180	4.5	<ul style="list-style-type: none"> • 一般包装封箱及物品固定捆扎
S2F03			0.065	0.28	<180	4.5	
12W03			0.068	0.30	<180	4.8	
S2V03			0.075	0.20	<180	2.0	
S2H03			0.080	0.32	<180	5.6	
12M03			0.095	0.30	<180	6.5	

ACHEM

万洲化学股份有限公司

万洲胶粘制品（江苏）有限公司

226600江苏省海安县李堡镇万洲路一号

Tel: +86-513-80675999 Fax: +86-513-80675998



GOOD DESIGN PRODUCT 本产品型录通过优良设计产品评鉴